

# A Quick Reference Guide to ergoCentric Seating Systems

Electric Height Adjustable Tables

EXCLUSIVELY FOR:

Federal Government

Supply Arrangement

SA # E60PQ-140003/023/PQ

**ergoCentric**<sup>®</sup>  
ergocentric.com



# Table of Contents

HEIGHT ADJUSTABLE TABLES

- 1 Features to look for in a Height Adjustable Tables
- 2 Frame specifications
- 3 Statement of line
- 4 [upCentric™ 2 Leg Small Frame | 2 Leg Frame](#)
- 6 Warranty



# Features to look for in a height adjustable table

Height adjustable tables have become a popular choice in today's workspaces. With so many brands and options to choose from, finding a table that satisfies your clients' needs can be challenging – we are here to help!

Below are key things to look for when buying a height adjustable table.

## 1 Motors in every leg:

Ensures a smooth, quiet and quick transition. The upCentric™ features motors made by TiMotion® and takes just 17 seconds to travel the 26.5" range from the lowest to highest height.

## 2 Quick and easy installation:

The upCentric is one of the simplest height adjustable tables to assemble. Printed and video instructions make assembling the upCentric easy enough to complete in approximately 15 minutes.

## 3 High Weight Capacity

Not to be overlooked as some tabletops alone weigh over 50 lbs. The upCentric can hold up to 300 lbs, likely more than is ever needed!

## 4 Ability to retrofit existing work surfaces:

The sturdy upCentric frame accommodates a variety of different tabletop sizes to make converting existing work surfaces into height adjustable tables a very economical way of obtaining a sit-to-stand solution.



# Frame specifications

The sturdy and easy to assemble upCentric frame accommodates a variety of different tabletop sizes. Consider retrofitting existing tables and desks making a sit-stand solution very economical.



## Specifications

	2-LEG SMALL FRAME	2-LEG FRAME
Frame Code	UP-2LS	UP-2L
Height Range	23.5" - 50"	23.5" - 50"
Width Range	41" - 72"	46" - 77"
Depth of Frame	22" (19.5" <sup>1</sup> )	29.5" (23.75" <sup>2</sup> )
Assembly Time	5 - 10 minutes	5 - 10 minutes
Travel Speed	1.6" per second	1.6" per second
Digital Memory Control Buttons	4 Position Memory	4 Position Memory
Weight Capacity	300 lbs	300 lbs
Electric TiMOTION® Motors	2 Motors	2 Motors
Max Power Draw	30 W	30 W
Standby Power Draw	0.06 W	0.06 W
Sound Level	39 dB	39 dB
Accommodates Tabletop Sizes	24" x 42" up to 24" x 84"	24" x 46" up to 42" x 96"
Frame Finish	Silver or Black Powder Coated Steel	Silver or Black Powder Coated Steel
Boxed Size/Weight	42.5"l x 8"w x 11"h – 92 lbs	48"l x 8"w x 11"h - 93 lbs
Power Cord Length:	2 meters	2 meters



### 1 Digital display control with 4 position memory

- Up/down control switch with digital read-out
- Four programmable memory settings

### Safety feature

- Anti-Collision Safety features stops table in event of collision with immovable object


### Certifications

- ANSI/BIFMA | CSA/UL


1 (19.5") refers to depth of the bracket which tabletops are mounted to  
2 (23.75") refers to the depth of the bracket which tabletops are mounted to.

# Statement of line


2-Leg Small Frame [UP-2LS]  
Side View




2-Leg Frame [UP-2L]  
Side View




Front View On All Frames




Cross-Bar On All Frames



2-Leg Small Frame [UP-2LS]  
Height Range



2-Leg Frame [UP-2L]  
Height Range



NOTE: The height range does not include the thickness of the tabletop.



# upCentric™

## 2 LEG SMALL FRAME & 2 LEG FRAME

Sturdy design. Easy to assemble. Affordable solution.

The upCentric™ allows workers to easily alternate between seated and standing positions throughout the work day to reduce backaches and pains, reduce stress and tension and to improve circulation throughout the body. Moving the table is intuitive with the easy-to-use up/down control with four position memory. The quiet motors housed in each of the table's legs ensure a quick, smooth transition in positions. The sturdy upCentric frame accommodates a variety of different table top widths to make retrofitting the table for new users and areas very economical. The durable open frame design provides optimal knee clearance and space for storage.

### Tabletop edges

<ul style="list-style-type: none"> <li>Standard 2mm thick T-Mold edges with 1" radius corner</li> </ul>	EDGE COLOR OPTION	CODE
	Finish Match Edge	FM
	Black Edge	BE
	Grey Edge	GE

### Frame finish options




### High pressure laminate finishes [HPL]



### Grommet hole options

- Grommet Holes can be added to the top left (L), right (R) or center (C) of upCentric Tabletops.
- Non-standard positions require a drawing with purchase order to show placement of grommet holes.
- Standard Grommet Hole Size: 3"



Position	Code
Left	3GHL
Center	3GHC
Right	3GHR

### ERGOCENTRIC MODEL #

SIZE	GOCUIC	FRAME & TABLETOP	HPL FINISH	TABLETOP EDGE	GROMMET HOLE 1 (L, R or C)	GROMMET HOLE 2 (L, R or C)	CEILING PRICE
24" x 42"	FSCAEA4224	UP-2LS-24X42	See codes for finishes above		3GH__	N/A	Contact us
24" x 48"	FSCAEA4824	UP-2LS-24X48			3GH__	3GH__	Contact us
24" x 54"	FSCAEA5424	UP-2LS-24X54			3GH__	3GH__	Contact us
24" x 60"	FSCAEA6024	UP-2LS-24X60			3GH__	3GH__	Contact us
30" x 42"	FSCAEA4230	UP-2L-30X42			3GH__	N/A	Contact us
30" x 48"	FSCAEA4830	UP-2L-30X48			3GH__	3GH__	Contact us
30" x 54"	FSCAEA5430	UP-2L-30X54			3GH__	3GH__	Contact us

To allow for cord management and to minimize potential pinch hazards, actual tabletop dimensions are 1" shorter in width and depth from what is shown in this catalogue. Example: 24" x 42" will be manufactured to 23" x 41".

Sit down. Stand up.  
A healthy way to work.



## Warranty

ergoCentric Seating Systems hereby warrants all of its tables and accessory products against defects and functional failure of materials. These warranties shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or accident, shipping damage, or product use other than in accordance with written instructions and warnings. ergoCentric makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth herein. In no event shall ergoCentric be liable in either tort or contract for any loss or direct, special, incidental, consequential or exemplary damages. This warranty is based on the use during an eight hour work day.

### Warranty claims

ergoCentric will repair or replace any product or materials, covered by this warranty, found to be defective or inferior within the warranted period. This warranty includes the cost of labor and shipping. Claims are to be made directly to ergoCentric or to the authorized representative from whom the product was purchased. Product or materials, for which a claim has been made, must be made available for inspection by an authorized ergoCentric representative.

### Limit of warranty

These warranties shall be valid only during the term of these warranties; and while the products herein warranted are in the possession of the original purchaser. The original purchaser shall mean the party which first purchased the products for its own use whether from ergoCentric or an authorized ergoCentric representative.

PRODUCT	WARRANTY
upCentric height adjustable frame 2-Leg   300 lbs, includes frame structure and steel components High pressure laminate tabletops	10 Year Limited Warranty
Motor, wires and electrical components	5 Years

## Sales and service

ergoCentric Seating Systems

275 Superior Blvd., Mississauga, Ontario L5T 2L6

ph: 1 866 GET ERGO | 905 696-6800

fx: 1 800 848-5190 | 905 696-0899

[ergocentric.com](http://ergocentric.com)

[orders@ergocentric.com](mailto:orders@ergocentric.com)

## Sales support

For a current list of our sales support staff, please visit: [ergocentric.com/rep](http://ergocentric.com/rep)s



## Authorized dealers

For a current list of our authorized dealers, please visit: [ergocentric.com/government](http://ergocentric.com/government)



# ergoCentric®



upCentric™, is a registered trademarks of Ergo-Industrial Seating.

TiMOTION is a registered trademark of TiMOTION Technology Co. Ltd.

All other trademarks, registered trademarks and logos are the property of their respective owners. 07/16/V19